

SRA-34

Subjects Response to Antipsychotics

Short version (English)

Brief questionnaire to evaluate desired and undesired effects of antipsychotics

I.M. Lako

H.A. Wolters

H. Knegtering

D. Wiersma

R. Bruggeman

Universitary Medical Center Groningen (UMCG)

Groningen, The Netherlands

SRA-34 - Subjects Response to Antipsychotics

Background information

Date:

What is your sex?

- 1. Male
- 2. Female

What is your age?

..... Years

What is your current civil status?

- 1. Married
- 2. Living together
- 3. Single
- 4. Divorced
- 5. Widow / widower
- 6. Other relationship

Which education did you complete?

- 1. None
- 2. Primary school
- 3. Secondary school
- 4. Technical college
- 5. Higher National Diploma
- 6. University
- 7. Other

If you know which illness(es) you, according to the doctor, suffer from, state this below.

- 1.....
- 2.....
- 3.....

If you know the names and dosage of the medicine you take, please state this below. dose

- 1.....
- 2.....
- 3.....
- 4.....
- 5.....

During which period of time have you been taking your current antipsychotic medicine?

- 1. Less than 1 month
- 2. Between 1 and 3 months
- 3. Between 3 and 12 months
- 4. Between 1 and 2 years
- 5. More than 2 years

How do you take the antipsychotic medicine?

- 1. Oral (pills)
- 2. Depot (injection)

Do you take the medication as prescribed?

- 1. I mostly take the medication as prescribed
- 2. I miss taking the antipsychotic medicine a few times a month
- 3. I miss taking the antipsychotic medicine a few times a week
- 4. I never take the antipsychotic medicine

SRA-34 - Subjects Response to Antipsychotics

Introduction

This questionnaire consists of experiences one could have when one takes antipsychotic medicine. The question is whether you have had this experience during the past week due to the antipsychotic medication. At the end of the questionnaire there are three concluding questions. There are no correct or incorrect answers, it's your own opinion that counts.

Example:

Due to the antipsychotic medication:

1. I can think more clearly

If, during the past week, you have had the idea to a high degree that you think more clearly due to the antipsychotic medication, then the answer is: *'yes, to a high degree'*.

If, during the past week, you have had the idea that to a certain degree you think more clearly due to the antipsychotic medication, then the answer is: *'yes, to a certain degree'*.

If, during the past week, you haven't had the idea that you think more clearly due to the antipsychotic medication, then the answer is: *'no'*.

Attention!

If, during the past week, you have had the idea that you think **more clearly**, but that it's **not** due to the antipsychotic medication, then the answer is also *'no'*.

SRA-34 - Subjects Response to Antipsychotics

		No	Yes, to a certain degree	Yes, to a high degree	
Due to the antipsychotic medication:					
1	My emotions are dull	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	EF
2	I feel happier	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RA
3	My weight has increased	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	WA
4	I have less energy for socializing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SW
5	I can't remember well	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SD
Due to the antipsychotic medication:					
6	I react more slowly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SD
7	I am less anxious	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RP
8	I feel more depressed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	DS
9	I am constipated more often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
10	I can concentrate better	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RA
Due to the antipsychotic medication:					
11	I leak urine more often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
12	My vision is more blurred	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
13	I have more trouble sitting still	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
14	I hear fewer voices	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RP
15	It is more difficult for me to have an orgasm	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
Due to the antipsychotic medication:					
16	I have a dry mouth more often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
17	My memory has improved	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RA
18	I have more tremors	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	EP
19	I have more interest in my surroundings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RS
20	I am nauseous more often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
Due to the antipsychotic medication:					
21	My sex drive has decreased	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
22	I am dizzy more often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
23	Dealing with others is easier	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RS
24	I can think more clearly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RC
25	I get physically tired more easily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SW
Due to the antipsychotic medication:					
26	I have more difficulty waking up	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	IS
27	I am less creative	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
28	My muscles are more stiff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	EP
29	I have more control over my thoughts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RC
30	I have increased salivation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU

SRA-34 - Subjects Response to Antipsychotics

		No	Yes, to a certain degree	Yes, to a high degree	
Due to the antipsychotic medication:					
31	I have more trouble concentrating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SD
32	I have an increased appetite	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	WA
33	I can sleep better	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	RIS
<i>For females only:</i>					
34	I menstruate less often	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	OU
Concluding questions:					
C1	I am satisfied with the antipsychotic medication	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	C
C2	I feel dependent on antipsychotic medication in order to function	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	C
C3	The advantages of antipsychotic medication outweigh the disadvantages	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	C

Thank you for your response. Below you can state any other experiences with antipsychotic medication, desired or undesired:

Legend. SRA-34 subscales (item number)

Undesired effects

- WA** Weight & Appetite (3,32) **IS** Increased Sleep (26)
SP Sexual Problems (15,21) **SW** Social Withdrawal (4,25)
SD Slowed Down (5,6,31) **EF** Emotional Flattening (1)
EP EPS (18,28) **DS** Depressive Symptoms (8)
OU Other Undesired effects (9,11,12,13,16,20,22,27,30,34)

Desired effects

- RP** Recovery Psychosis (7,14)
RC Recovery Cognition (24,29)
RS Recovery Social (19,23)
RA Recovery Attention (2,10,17)
RI Recovery Increased Sleep (33)